

ALL DUTSIDE SURFACE EXPOSED

NDTE:

FLATNESS & SQUARENESS CRITICAL.

NOTE: BREAK ALL CORNERS WITH 0.015" (.38 MM) RADIUS UNLESS OTHERWISE NOTED. 0.090 (2.29) WALL THICKNESS EXCEPT AS SHOWN DATE DESCRIPTION 646.843 1.003 ın.<sup>2</sup> EST.AREA мм.2 EST.AREA 1.761 1.183 EST.WT. LBS/FT. EST.WT. KG/M. 22.228 564.604 EST.PER. EST.PER. MM. 11.474 291.4 OUT PER. IN. OUT PER. MM. 4.354 110.595 C.C.D. C.C.D. IN. MM. FINISH M/F 6063 ALLOY CKD BY FACTOR 19 SCALE 1:1 DWN BY C.P. DATE 04/10/1996

STANDARD TOLERANCES TO APPLY UNLESS OTHERWISE SPECIFIED.

ALUMINUM EXTRUSION INC.

85 PARKSHORE DRIVE BRAMPTON, ONT L6T 5M1 TEL. NO. (905) 791-1464 FAX NO. (905) 791-9151 WEB: www.canart.com

THIS DRAWING IS NOT NECESSARILY A COPY OF YOUR ORIGINAL. PLEASE APPROVE DIMENSIONS AND TOLERANCES INDICATED. CAN ART ASSUMES NO RESPONSIBILITY EITHER TECHNICAL OR LEGAL FOR HAVING THIS SHAPE MADE. THE CUSTOMER AGREES TO FULLY PROTECT CAN ART ALUMINUM FROM CLAIMS OF OTHERS RESULTING FROM THIS SHAPE.

SIGNED: DATE: