

WALL THICKNESS 0.250 (6.35) EXCEPT AS SHOWN

NOTE: BREAK ALL CORNERS WITH 0.015" (.38 MM) RADIUS UNLESS OTHERWISE NOTED. STANDARD TOLERANCES TO APPLY UNLESS OTHERWISE SPECIFIED

DATE	REV	DESCRIPTION					BY	
03/10/23	1	REMOVED ALLOY					JASON	
EST.AREA	2.3	556		ın. <sup>2</sup>	EST.AREA	1520.134	мм. <sup>2</sup>	
EST.WT.	2.7	780		LBS/FT.	EST.WT.	4.138	KG/M.	
EST.PER.	18.	850		IN.	EST.PER.	478.779	мм.	
OUT PER.	10.	210		IN.	OUT PER.	259.3	MM.	
C.C.D.	3.250		IN.	C.C.D.	82.550	мм.		
FINISH	M/F				ALLOY			
CKD BY	FACTOR	7	SCALE	1:1	DWN BY $\mathbf{P}.\mathbf{M}$	. DATE 03/15/2	012	

## Can Art

ALUMINUM EXTRUSION INC.

85 PARKSHORE DRIVE BRAMPTON, ONT L6T 5M1 TEL. NO. (905) 791-1464 FAX NO. (905) 791-9151 WEB: www.canart.com

THIS DRAWING IS NOT NECESSARILY A COPY OF YOUR ORIGINAL. PLEASE APPROVE DIMENSIONS AND TOLERANCES INDICATED. CAN ART ASSUMES NO RESPONSIBILITY EITHER TECHNICAL OR LEGAL FOR HAVING THIS SHAPE MADE. THE CUSTOMER AGREES TO FULLY PROTECT CAN ART ALUMINUM FROM CLAIMS OF OTHERS RESULTING FROM THIS SHAPE.

SIGNED: _	 DATE: